

Entrance sign

Pylon, Vista Expand series



Vista Expand's pylons are constructed from a central double sided XP profile and covering profile. The covering profile is inserted into the main one to create better grip on the inserts. Installation can be performed using bases or metal construction profiles inserted into the ground.


Dimensions:

Vista Expand pylon sign frames are offered in 7 different widths:


28", 32", 36", 40", 44", 48", 55"

(XP700, XP800, XP900, XP1000, XP1100, XP1200, XP1400 (mm))
Length: 78.8"-157.5" (2000 mm – 4000 mm)


Custom lengths are available.



Front view



Side view




Top view



| | | |
|-------------|--|---|
| Project | RFD #2656- Technical | Designer: R.C |
| Model | Double sided XP1000x3000 with End caps | Date: 13/12/2012 |
| Part Number | | Scale: |
| Material | | Measurements in millimeters Do not scale drawing |

Proprietary and confidential: The information contained in this drawing is the sole property of Vista system Limited. Any reproduction; copying; distribution or any other use in part or as a whole without the written permission of Vista system Limited is prohibited. This ban includes any use by any third party that did not receive this information from Vista system Limited.



Isometric view



| | | |
|-------------|--|---|
| Project | RFD #2656- Technical | Designer: R.C |
| Model | Double sided XP1000x3000 with End caps | Date: 13/12/2012 |
| Part Number | | Scale: |
| Material | | Measurements in millimeters Do not scale drawing |

Proprietary and confidential: The information contained in this drawing is the sole property of Vista system Limited.
 Any reproduction; copying; distribution or any other use in part or as a whole without the written permission of Vista system Limited is prohibited.
 This ban includes any use by any third party that did not receive this information from Vista system Limited.